

L Number	Hits	Search Text	DB	Time stamp
5	0	update same ((SID near5 (memory table list)) with (rank prefer\$5 priorit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:29
6	0	update same (((SID (system adj3 number)) near5 (memory table list)) with (rank prefer\$5 priorit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:29
7	16	updat\$4 same (((SID (system adj3 number)) with (memory table list))) same (rank prefer\$5 priorit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:39
8	53	((updat\$4 actualiz\$4 chang\$4 writ\$4) same (((SID (system adj3 number)) with (memory table list))) same (rank prefer\$5 priorit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:39
9	37	((updat\$4 actualiz\$4 chang\$4 writ\$4) same (((SID (system adj3 number)) with (memory table list))) same (rank prefer\$5 priorit\$4)) not (updat\$4 same (((SID (system adj3 number)) with (memory table list))) same (rank prefer\$5 priorit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:38
14	1290	((updat\$4 actualiz\$4 chang\$4 re\$1writ\$4) same ((memory table list) with (rank\$3 prefer\$5 priorit\$4))) and (SID (system adj3 number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:42
12	32	(updat\$4 actualiz\$4 chang\$4 re\$1writ\$4) same (((SID (system adj3 number)) with (memory table list))) same (rank prefer\$5 priorit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:42
15	361	((updat\$4 actualiz\$4 chang\$4 re\$1writ\$4) with ((memory table list) near5 (rank\$3 prefer\$5 priorit\$4))) and (SID (system adj3 number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:43
16	288	((updat\$4 actualiz\$4 chang\$4 re\$1writ\$4) with ((memory table list) near5 (rank\$3 prefer\$5 priorit\$4))) and (SID (system adj3 number))) and (@rlad<20000630 or @ad<20000630)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:44
17	282	((updat\$4 actualiz\$4 chang\$4 re\$1writ\$4) with ((memory table list) near5 (rank\$3 prefer\$5 priorit\$4))) and (SID (system adj3 number))) and (@rlad<20000630 or @ad<20000630)) not ((updat\$4 actualiz\$4 chang\$4 re\$1writ\$4) same (((SID (system adj3 number)) with (memory table list))) same (rank prefer\$5 priorit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:45
19	281	((updat\$4 actualiz\$4 chang\$4 re\$1writ\$4) with ((memory table list) near5 (rank\$3 prefer\$5 priorit\$4))) and (SID (system adj3 number))) and (@rlad<20000630 or @ad<20000630)) not ((updat\$4 actualiz\$4 chang\$4 re\$1writ\$4) same (((SID (system adj3 number)) with (memory table list))) same (rank prefer\$5 priorit\$4)) not ((updat\$4 actualiz\$4 chang\$4 writ\$4) same (((SID (system adj3 number)) with (memory table list))) same (rank prefer\$5 priorit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:45
20	53	((updat\$4 actualiz\$4 chang\$4 re\$1writ\$4) with ((memory table list) near5 (rank\$3 prefer\$5 priorit\$4))) and (SID (system adj3 number))) and (@rlad<20000630 or @ad<20000630)) not ((updat\$4 actualiz\$4 chang\$4 re\$1writ\$4) same (((SID (system adj3 number)) with (memory table list))) same (rank prefer\$5 priorit\$4)) not ((updat\$4 actualiz\$4 chang\$4 writ\$4) same (((SID (system adj3 number)) with (memory table list))) same (rank prefer\$5 priorit\$4))) and (455/\$ 370/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 15:46

3	(20010053689 20020002051 20020052189).pn.	US-PGPUB	2004/04/19 17:31
865194	((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 12:26
291	455/525.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 17:37
55	(((((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down)) and 455/525.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 17:39
3	(((((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down)) same (priority selectivity hierarchy)) and 455/525.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 17:44
1	(prefer\$4 same (((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down))) and 455/525.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 17:43
996315	priority selectivity hierarchy prefer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 12:29
138028	(((((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down)) and (priority selectivity hierarchy prefer\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 17:45
24	(((((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down)) and (priority selectivity hierarchy prefer\$4)) and 455/525.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:08
20258	SID NID cell\$ID BS\$ID (cell adj2 (Id identification identity)) ((base adj2 station) adj2 (ID identification identity))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 12:28
540	(priority selectivity hierarchy prefer\$4) same (SID NID cell\$ID BS\$ID (cell adj2 (Id identification identity)) ((base adj2 station) adj2 (ID identification identity)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 17:57
11	((priority selectivity hierarchy prefer\$4) same (SID NID cell\$ID BS\$ID (cell adj2 (Id identification identity)) ((base adj2 station) adj2 (ID identification identity)))) same (((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 17:58
172	((priority selectivity hierarchy prefer\$4) same (SID NID cell\$ID BS\$ID (cell adj2 (Id identification identity)) ((base adj2 station) adj2 (ID identification identity)))) and (((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 17:58

135	((priority selectivity hierarchy prefer\$4) same (SID NID cell\$ID BSSID (cell adj2 (ID identification identity))) ((base adj2 station) adj2 (ID identification identity))) and (((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down))) and (455/\$ 370/\$ 379/\$ 375/\$ 709/\$ 714/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:06
994297	((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down) ((turn\$4 power\$4 switch\$4 shut\$4) near3 (on up)) turn\$on power\$on switch\$on	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:14
29300	SID NID cell\$ID BSSID (cell adj2 (ID identification identity identities)) ((base adj2 station) adj2 (ID identification identity identities))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:09
6689649	priorit\$4 selectivity hierarchy prefer\$4 precedence (low near3 (cost rate charge)) best least favorite desir\$4 rank\$4 order	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:13
445444	15.clm,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 12:36
5503	((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down) ((turn\$4 power\$4 switch\$4 shut\$4) near3 (on up)) turn\$on power\$on switch\$on and (SID NID cell\$ID BSSID (cell adj2 (ID identification identity identities)) ((base adj2 station) adj2 (ID identification identity identities))) and (priorit\$4 selectivity hierarchy prefer\$4 precedence (low near3 (cost rate charge)) best least favorite desir\$4 rank\$4 order)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 12:38
138	15.clm,ab. and ((SID NID cell\$ID BSSID (cell adj2 (ID identification identity identities)) ((base adj2 station) adj2 (ID identification identity identities))) same (priorit\$4 selectivity hierarchy prefer\$4 precedence (low near3 (cost rate charge)) best least favorite desir\$4 rank\$4 order))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:09
142	((priority selectivity hierarchy prefer\$4) same (SID NID cell\$ID BSSID (cell adj2 (ID identification identity))) ((base adj2 station) adj2 (ID identification identity))) and (((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down))) and (455/\$ 370/\$ 379/\$ 375/\$ 709/\$ 714/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:08
125	((priority selectivity hierarchy prefer\$4) same (SID NID cell\$ID BSSID (cell adj2 (ID identification identity))) ((base adj2 station) adj2 (ID identification identity))) and (((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down))) and (455/\$ 370/\$ 379/\$ 375/\$ 709/\$ 714/\$).ccls.) not (15.clm,ab. and ((SID NID cell\$ID BSSID (cell adj2 (ID identification identity identities)) ((base adj2 station) adj2 (ID identification identity identities))) same (priorit\$4 selectivity hierarchy prefer\$4 precedence (low near3 (cost rate charge)) best least favorite desir\$4 rank\$4 order)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:09
64	((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down) ((turn\$4 power\$4 switch\$4 shut\$4) near3 (on up)) turn\$on power\$on switch\$on and (SID NID cell\$ID BSSID (cell adj2 (ID identification identity identities)) ((base adj2 station) adj2 (ID identification identity identities))) and (priorit\$4 selectivity hierarchy prefer\$4 precedence (low near3 (cost rate charge)) best least favorite desir\$4 rank\$4 order)) and 455/524,525,526,528,62,63,2,67,14.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:09
198095	((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down) ((turn\$4 power\$4 switch\$4 shut\$4) near3 (on up)) turn\$on power\$on switch\$on same (priorit\$4 selectivity hierarchy prefer\$4 precedence (low near3 (cost rate charge)) best least favorite desir\$4 rank\$4 order)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:18

1651	(((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down) ((turn\$4 power\$4 switch\$4 shut\$4) near3 (on up)) turn\$on power\$on switch\$on) same (priorit\$4 selectivity hierarchy prefer\$4 precedence (low near3 (cost rate charge)) best least favorite desir\$4 rank\$4 order)) and (SID NID cell\$ID BS\$ID (cell adj2 (ID identification identity identities)) ((base adj2 station) adj2 (ID identification identity identities)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:18
4628	(((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down) ((turn\$4 power\$4 switch\$4 shut\$4) near3 (on up)) turn\$on power\$on switch\$on) same (priorit\$4 selectivity hierarchy prefer\$4 precedence (low near3 (cost rate charge)) best least favorite desir\$4 rank\$4 order)) and (455/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:20
382	(((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down) ((turn\$4 power\$4 switch\$4 shut\$4) near3 (on up)) turn\$on power\$on switch\$on) same (priorit\$4 selectivity hierarchy prefer\$4 precedence (low near3 (cost rate charge)) best least favorite desir\$4 rank\$4 order)) and (455/\$).ccls.) and (SID NID cell\$ID BS\$ID (cell adj2 (ID identification identity identities)) ((base adj2 station) adj2 (ID identification identity identities)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:22
376	((((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down) ((turn\$4 power\$4 switch\$4 shut\$4) near3 (on up)) turn\$on power\$on switch\$on) same (priorit\$4 selectivity hierarchy prefer\$4 precedence (low near3 (cost rate charge)) best least favorite desir\$4 rank\$4 order)) and (455/\$).ccls.) and (SID NID cell\$ID BS\$ID (cell adj2 (ID identification identity identities)) ((base adj2 station) adj2 (ID identification identity identities))) not ((15.clm,ab. and ((SID NID cell\$ID BS\$ID (cell adj2 (ID identification identity identities)) ((base adj2 station) adj2 (ID identification identity identities))) same (priorit\$4 selectivity hierarchy prefer\$4 precedence (low near3 (cost rate charge)) best least favorite desir\$4 rank\$4 order))) and (((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down) ((turn\$4 power\$4 switch\$4 shut\$4) near3 (on up)) turn\$on power\$on switch\$on) and (SID NID cell\$ID BS\$ID (cell adj2 (ID identification identity identities)) ((base adj2 station) adj2 (ID identification identity identities))) and (priorit\$4 selectivity hierarchy prefer\$4 precedence (low near3 (cost rate charge)) best least favorite desir\$4 rank\$4 order)) and 455/524,525,526,528,62,63,2,67.14.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:54
22	455/\$.ccls. and mru	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:54
11	455/\$.ccls. and (mru same (memory disk storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:01
19	455/\$.ccls. and (mru same (memory disk storage rom ram e\$prom token store writ\$5 medium stack list contention register address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:11
29300	SID NID cell\$ID BS\$ID (cell adj2 (ID identification identity identities)) ((base adj2 station) adj2 (ID identification identity identities))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:09
512	(mru with (memory disk storage rom ram e\$prom token store writ\$5 medium stack table list contention content register address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:11

-	681	(mru same (memory disk storage rom ram e\$prom token store writ\$5 medium stack table list contention content register address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 17:39
-	24	(SID NID cell\$ID BS\$ID (cell adj2 (ID identification identity identities)) ((base adj2 station) adj2 (ID identification identity identities))) and ((mru same (memory disk storage rom ram e\$prom token store writ\$5 medium stack table list contention content register address)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:12
-	994297	((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down ((turn\$4 power\$4 switch\$4 shut\$4) near3 (on up)) turn\$on power\$on switch\$on	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:14
-	46	((turn\$4 power\$4 switch\$4 shut\$4) near3 (off down)) turn\$off power\$off switch\$off shut\$off shut\$down ((turn\$4 power\$4 switch\$4 shut\$4) near3 (on up)) turn\$on power\$on switch\$on same mru	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:48
-	1	"2002016962"	JPO	2004/04/21 09:56
-	2	"6466802"	USPAT	2004/04/21 12:11
-	1	6466802.URPN.	USPAT	2004/04/21 17:15
-	16	("4112257" "4756007" "4763322" "4795210" "4905301" "4916728" "5020091" "5123111" "5239294" "5267244" "5301359" "5442806" "5537674" "5586338" "5613213" "6085085").PN.	USPAT	2004/04/21 17:20
-	11	6085085.URPN.	USPAT	2004/04/21 17:17
-	19	("4112257" "4756007" "4763322" "4795210" "4905301" "4916728" "5020091" "5123111" "5159625" "5239294" "5267244" "5301359" "5442806" "5537674" "5586338" "5613204" "5613213" "5761618" "5832367").PN.	USPAT	2004/04/21 17:17
-	4	((("4112257" "4756007" "4763322" "4795210" "4905301" "4916728" "5020091" "5123111" "5159625" "5239294" "5267244" "5301359" "5442806" "5537674" "5586338" "5613204" "5613213" "5761618" "5832367").PN.) not (("4112257" "4756007" "4763322" "4795210" "4905301" "4916728" "5020091" "5123111" "5239294" "5267244" "5301359" "5442806" "5537674" "5586338" "5613213" "6085085").PN.)	USPAT	2004/04/21 17:20
-	56	5586338.URPN.	USPAT	2004/04/21 17:28
-	69	5442806.URPN.	USPAT	2004/04/22 10:02
-	19	("4734928" "4736453" "4742560" "4775999" "4833701" "4833702" "4903320" "4905301" "4916728" "4965850" "4972355" "5020091" "5020093" "5097499" "5101500" "5442806" "5448622" "5504939" "5784693").PN.	USPAT	2004/04/21 17:43
-	625	(retreiving storing saving) same ((memory table list store disk storage)with (SID (system near identi\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 10:29
-	14	((retreiving storing saving) same ((memory table list store disk storage)with (SID (system near identi\$5)))) and 455/525,434.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 10:28
-	1	(retreiving storing saving) same ((first main primary) near3 (memory table list store disk storage)) same (SID (system near identi\$5)) same ((seconda\$4 redundan\$3) near3 (memory table list store disk storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 10:14
-	127	((first main primary) with (memory table list store disk storage)) same (SID NID BID BSID cel\$ID ((system bs cell (base adj2 station)) near identi\$5)) same ((seconda\$4 redundan\$3) with (memory table list store disk storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 10:16

-	1236	((retrieving storing saving) same ((memory table list store disk storage) with (SID NID BID BSID cel\$ID ((system bs cell (base adj2 station)) near identi\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 10:30
-	218	((retrieving storing saving) same ((memory table list store disk storage) with (SID NID BID BSID cel\$ID ((system bs cell (base adj2 station)) near identi\$5)))) and (455/\$ 370/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 10:31
-	214	(((retrieving storing saving) same ((memory table list store disk storage) with (SID NID BID BSID cel\$ID ((system bs cell (base adj2 station)) near identi\$5)))) and (455/\$ 370/\$).ccls.) not (((first main primary) with (memory table list store disk storage)) same (SID NID BID BSID cel\$ID ((system bs cell (base adj2 station)) near identi\$5)) same ((seconda\$4 redundan\$3) with (memory table list store disk storage)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 11:13
-	15	Cooper.in. and qualcomm.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 12:18
-	2	5666661.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 12:30
-	7	(5974328 6324404 5442806 6085085 6223042 5950130 6148197).pn.	USPAT	2004/04/22 12:53
-	20	("4916728" "5020091" "5093926" "5101500" "5159625" "5276905" "5297191" "5297192" "5301223" "5357561" "5428666" "5442806" "5463675" "5504803" "5524135" "5551058" "5615248" "5642398" "5734980" "5761618").PN.	USPAT	2004/04/22 12:46
-	0	if with ("not found") same (SID with memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 12:54
-	0	if with (find) same (SID with (allocate stor\$3 safe saving))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 12:55
-	109	(already find found "is not") same (SID with (update allocate stor\$3 safe saving))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 12:58
-	67	((already find found "is not") same (SID with (update allocate stor\$3 safe saving))) and (455/\$ 370/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:27